This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

WHAT IS CLAIMED IS:

1. An organic electroluminescent (EL) device comprising an anode, a cathode, and one or more organic thin-film layers including a light-emitting layer sandwiched between the anode and the cathode, the organic thin-film layers including, either singly or as a mixture, a pervlene compound represented by a general formula [1] as follows:



wherein each of R¹ to R¹² independently represents hydrogen atom, halogen atom, hydroxyl group, substituted or non-substituted amino group, nitro group, cyano group, substituted or non-substituted alkyl group, substituted or non-substituted alkenyl group, substituted or non-substituted styryl group, substituted or non-substituted cycloalkyl group, substituted or non-substituted or non-

5

10

102

substituted alkoxy group, substituted or non-substituted aromatic hydrocarbon group, substituted or non-substituted aromatic heterocyclic group, substituted or non-substituted aralkyl group or substituted or non-substituted aryloxy group; any two of R¹ to R¹² may form a ring; however, at least one of R¹ to R¹² is diarylamino group represented by -NAr¹Ar² (each of Ar¹and Ar² represents non-substituted aromatic hydrocarbon group or substituted or non-substituted aromatic heterocyclic group), and at least one of R¹ to R¹² other than the diarylamino group is a group with steric hindrance for suppressing aggregation of molecules.

- 2. The organic EL device as defined in claim 1, wherein at least one of A¹ and Ar² has substituted or non-substituted styryl group as a substituent.
- 3. The organic EL device as defined in claim 1, wherein the organic thin-film layers have at least a light-emitting layer including the compound represented by the general formula [1] either singly or as a mixture.
- 4. The organic EL device as defined in claim 1, wherein the organic thin-film layers have at least a hole transporting layer including the compound represented

CALS. TEILIO

15


20

by the general formula [1] either singly or as a mixture.

- 5. The organic EL device as defined in claim 1, wherein the organic thin-film layers have at least an electron transporting layer including the compound represented by the general formula [1] either singly or as a mixture.
- 6. The organic EL device as defined in claim 1, wherein the group with steric hindrance included in the general formula [1] is the substituted or non-substituted alkyl group, the substituted or non-substituted cycloalkyl group, the substituted or non-substituted alkoxy group, the substituted or non-substituted aromatic hydrocarbon group, the substituted or non-substituted aromatic heterocyclic group, the substituted or non-substituted aralkyl group or the substituted or non-substituted aralkyl group.
 - 7. An organic EL device comprising an anode, a cathode, and one or more organic thin-film layers including a light-emitting layer sandwiched between the anode and the cathode, the organic thin-film layers including, either singly or as a mixture, a benzoperylene compound represented by a general formula [2] as

5

104



wherein each of R13 to R26 independently represents halogen atom, hydroxyl hydrogen atom/ group, substituted or non-substituted amino group, nitro group, cyano group, substituted or non-substituted alkyl group, substituted or non-substituted alkenyl group, substituted or non-substituted styryl group, substituted or nonsubstituted cycloalkyl group, substituted substituted alkoxy group, substituted or non-substituted hydrocarbon group, substituted aromatic substituted aromatic heterocyclic group, substituted or non-substituted aralkyl group or substituted or nonsubstituted aryloxy group; any two of R13 to R26 may form a ring; and at least one of R1 to R14 is a group with steric hindrance for suppressing aggregation of molecules.

20.

5

The organic EL device as defined in claim 7, wherein at least one of R13 to R26 is diarylamino group represented by -NAr¹Ar² (each of Ar¹ and Ar² represents aromatic non-substituted hydrocarbon substituted or non-substituted aromatic heterocyclic group), and the group with steric hindrance is other than the diarylamino group.

- The organic EL device as defined in claim 8, wherein at least one of Ar1 and Ar2 has substituted or Laon-substituted styryl group as a substituent.
- The organic EL device as defined in claim 7, 10. wherein the organic thin-film layers have at least a lightemitting layer including the compound represented by the general formula [2] either singly or as a mixture.
- The organic EL device as defined in claim 7, 11. wherein the organic thin-film layers have at least a hole transporting layer including the compound represented by the general formula [2] either singly or as a mixture.
- The organic EL device as defined in claim 7, **12**. wherein the organic thin-film layers have at least an electron transporting layer including the compound

5

5

106

represented by the general formula [2] either singly or as a mixture.

The organic EL device as defined in claim 1, 13. wherein the group with steric hindrance included in the general formula [2] is the substituted or non-substituted alkyl group, the substituted or non-substituted cycloalkyl group, the substituted or non-substituted alkoxy group, the substituted or non-substituted aromatic hydrocarbon group, the substituted or non-substituted aromatic heterocyclic group, the substituted or non-substituted aralkyl group or the substituted or non-substituted aryloxy group.